SAFETY DATA SHEET

UNIMARINE SERVICES INC

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Identification of the substance or mixture

Product name : Lectro Clean Fast
REACH Product name : tetrachloroethylene

Product type : Liquid.

Use of the substance/mixture : Degreaser

Industrial cleansing agent

Details of the supplier of the safety data sheet

Company:

Unimarine Services Inc. 60 Market Square, PO Box 364, Belize City

Contact your nearest Unimarine sales office

Representative office in Greece:

Email: info@unimarine.gr Tel: +30 210 9957279

1.4 Emergency Telephone Number

Emergency Telephone: Only to be used in case of incident

Tel: 00357 25 662068

2. HAZARDS IDENTIFICATION

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Carc. Cat. 3; R40

N; R51/53

Human health hazards : Limited evidence of a carcinogenic effect.

Environmental hazards : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

See Section 11 for more detailed information on health effects and symptoms.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/preparation : Preparation

Ingredient name	CAS number	%	EC number	Classification
tetrachloroethylene See Section 16 for the full text of the R-phrases declared above.	127-18-4	>=90	204-825-9	Carc. Cat. 3; R40 [1] N; R51/53

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

4. FIRST AID MEASURES

First-aid measures

Inhalation

: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ingestion

: Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

FIRST AID MEASURES

Skin contact

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to

Notes to physician

: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

See Section 11 for more detailed information on health effects and symptoms.

FIRE-FIGHTING MEASURES

Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

the person providing aid to give mouth-to-mouth resuscitation.

Not suitable

Special exposure hazards

: In a fire or if heated, a pressure increase will occur and the container may burst.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. This material is toxic to aquatic organisms. Fire water contaminated with this material must be contained and prevented from

being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition

products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide halogenated compounds carbonyl halides

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

ACCIDENTAL RELEASE MEASURES

Personal precautions

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods for cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. HANDLING AND STORAGE

Handling

Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Avoid release to the environment. Refer to special instructions/safety data sheet. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Packaging materials

Recommended

: Use original container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

Ingredient name Occupational exposure limits

No exposure limit value known.

Recommended monitoring

procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Exposure controls

Occupational exposure controls

: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Respiratory protection

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection

Wear suitable gloves tested to EN374. The quality of the chemical-resistant protective gloves must be chosen as a function of the specific workplace concentrations and quantity of hazardous substances.

Eye protection

•

Wear safety glasses with side protection in accordance with EN 166. or face shield (EN 166) .

Skin protection

_

Wear protective shoes. Wear protective clothing.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels

9. PHYSICAL AND CHEMICAL PROPERTIES

General information

<u>Appearance</u>

Physical state : Liquid.

Odour : Characteristic.

Important health, safety and environmental information

Boiling point : $87^{\circ}\text{C } (188,6^{\circ}\text{F})$ **Melting point** : $-23,5^{\circ}\text{C } (-10,3^{\circ}\text{F})$

 Flash point
 : Closed cup: Not applicable.

 Vapour pressure
 : 1,9 kPa (14,25 mm Hg)

 Density
 : 1,62 g/cm³ [20°C (68°F)]

 Viscosity
 : Dynamic: 2 mPa·s (2 cP)

Auto-ignition temperature : Not applicable.

Acid/alkali reserve

(g NaOH(equivalent)/100 g)

10. STABILITY AND REACTIVITY

Stability : The product is stable. Under normal conditions of storage and use, hazardous polymerisation will not

occur.

Conditions to avoid : Avoid release to the environment. Refer to special instructions/safety data sheet.

Materials to avoid : No specific data.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Potential acute health effects

: No known significant effects or critical hazards. Inhalation Ingestion No known significant effects or critical hazards. Skin contact No known significant effects or critical hazards. No known significant effects or critical hazards. Eye contact

Acute toxicity

Product/ingredient name Result Dose **Species Exposure** Tetratchloorethyleen LD50 Oral Rat 2629 mg/kg

 Not available. Conclusion/Summary

Potential chronic health effects

Chronic toxicity

: Not available Conclusion/Summary

Irritation/Corrosion

Conclusion/Summary : Not available.

Sensitiser

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Mutagenicity

: Not available. Conclusion/Summary

Teratogenicity

: Not available. Conclusion/Summary

Reproductive toxicity

Conclusion/Summary : Not available.

Chronic effects No known significant effects or critical hazards.

Carcinogenicity May cause cancer, based on animal data. Limited evidence of a carcinogenic effect. Risk of cancer

depends on duration and level of exposure.

No known significant effects or critical hazards. Mutagenicity **Teratogenicity** No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. Fertility effects No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation : No specific data. Ingestion No specific data.

No specific data Skin Eyes No specific data

: Contains material which causes damage to the following organs: kidneys, liver, mucous membranes, **Target organs** gastrointestinal tract, upper respiratory tract, skin, central nervous system (CNS), eye, lens or cornea.

12. ECOLOGICAL INFORMATION

Environmental effects : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Aquatic ecotoxicity

Product/ingredient name Test **Exposure** tetrachloroethylene Acute EC50 8500 to Daphnia - Water flea 48 hours

11000 ug/L Fresh - Daphnia magna

water

Conclusion/Summary : Not available.

Biodegradability

: Not available. Conclusion/Summary

Other adverse effects : No known significant effects or critical hazards.

13. DISPOSAL CONSIDERATIONS

Methods of disposal

The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

14. TRANSPORT INFORMATION

International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	UN1897	TETRACHLOROETHYLENE	6.1	III	¥2	Hazard identification number 60 Limited quantity LQ7 CEFIC Tremcard 61S1897
ADN/ADNR Class	UN1897	TETRACHLOROETHYLENE	6.1	III	¥2	-
IMDG Class	UN1897	TETRACHLOROETHYLENE. Marine pollutant (tetrachloroethylene)	6.1	III	¥2	Emergency schedules (EmS) F-A, S-A Marine pollutant
IATA Class	UN1897	Tetrachloroethylene	6.1	III	¥2	Passenger and Cargo Aircraft Quantity limitation: 60 L Packaging instructions: 605 Cargo Aircraft Only Quantity limitation: 220 L Packaging instructions: 612 Limited Quantities - Passenger Aircraft Quantity limitation: 2 L Packaging instructions: Y605

PG* : Packing group

15. REGULATORY INFORMATION

EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Hazard symbol or symbols



Harmful, Dangerous for the environment

Risk phrases : R40- Limited evidence of a carcinogenic effect.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases : S36/37- Wear suitable protective clothing and gloves.

S61- Avoid release to the environment. Refer to special instructions/safety data sheet.

Contains : tetrachloroethylene
Product use : Industrial applications.

15. REGULATORY INFORMATION

Europe inventory

: Europe inventory: All components are listed or exempted.

No Chemical Safety Assesment has been done

16. OTHER INFORMATION

The information contained herein relates only to the specific material identified. Unimarine Services Inc. Believes that such information is accurate and reliable as of the date of this material safety data sheet, but no representation, guarantee or warranty, express or implied, is made as to the accuracy, reliability, or completeness of the information. Unimarine Services Inc. urges persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application

Lectro Clean Fast A/W 19/08/12